

EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3272/162/09/19/2790

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment:

Manufacturer: COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y

SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

CARLOS SILVA VILDOSOLA 950, SAN MIGUEL, SANTIAGO

CHILE

Description

PPE Type: protective glove against mechanical risks

Product reference: GUANTE EAGLE IMPACT J321

Article code: -

Glove description: 13G black/white HPPE(high performance polyethylene)/ glass fiber/

spandex/ nylon liner,TPR anti-impact on the glove back,black nitrile sandy

finish on palm, velcro on the cuff, padded palm.

Available sizes: 8/M 9/L 10/XL 11/XXL

Pictures:









4X43DF



Carlos Silva Vildosola 950,SAN Miguel, SANTIAGO,CHILE LOT:XXXXXXX

Reference standard:

Levels of performance / class of protection

EN 420:2003+A1:2009

EN 388:2016

4 X 4 3 D P

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the Instruction for Use index 01 dated from SEPTEMBER 2019

NOTA: Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425.

Issued in Lyon by
Maxence DREVET

Project Certification Manager



End of validity date: 24 September 2024

Date of first issue: 24 September 2019



www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com



Original CTC

In application of the Regulation 2016/425 of the European parliament and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/FFC.

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

Reference of the product : GUANTE EAGLE IMPACT J321

Article code : -

Technical file index : 01

Last update : SEPTEMBER 2019

IDENTIFICATION

Reference of the product: : GUANTE EAGLE IMPACT J321

Article code: : -

Basic Model

Technical file index: : 01

Last update: : SEPTEMBER 2019

Manufacturer:

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA CARLOS SILVA VILDOSOLA 950, SAN MIGUEL, SANTIAGO CHILE

tel: 56 2 25447600

fax:

Factory:

SHANDONG XINGYU GLOVES CO.,LTD

MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

CHINA

tel: 0086-536-2587338 fax: 0086-536-2586328

GLOVE DESCRIPTION

General glove description:

13G black/white HPPE(high performance polyethylene)/ glass fiber/ spandex/ nylon liner,TPR anti-impact on the glove back,black nitrile sandy finish on palm,velcro on the cuff, padded palm.

type of coating finish: sandy

Visual description (picture back and palm sides):



Field of use

construction industry, machinery repairing, loading and unloading, automobile assembly

	Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation)				
		Applicable	Covered by		
§1	Requirements defined in the Annex II §1 are applicable to all PPE	7	✓ Standard		
			✓ Instruction for use		
			✓ Marking		
	§1.4 Manufacturer's instructions and information is available	V	Standard		
§1.4			✓ Instruction for use		
			Marking		
	PPE which may be caught up during use		Standard		
§2.5		>	Instruction for use		
			Marking		
	PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety	>	✓ Standard		
§2.12			✓ Instruction for use		
			✓ Marking		
	The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle	>	✓ Standard		
§3.1.1			✓ Instruction for use		
			✓ Marking		
	The PPE is intended to protect against mechanical injuries	<	✓ Standard		
§3.3			✓ Instruction for use		
			✓ Marking		

Available sizes :

Minimum length of glove (mm)	Sizes
240	8/M
250	9/L
260	10/XL
270	11/XXL

Glove constitution:

	Reference	Color	Material	Surfacic mass	Gauges	Thickness
Palm		Black	nitrile			0.5-0.8mm
		Black and white	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon	446g/m2	13gauges/ inch	
	Thumb crotch	Black	Kevlar/nylon/spandex/PU			0.4-0.6mm
	Reinforce ment in the palm	Black	polyester	613g/m2		
Back		Black and white	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon	446g/m2	13gauges/ inch	
		Black/Gre en	TPR			
Cuff		Black and white	HPPE (high performance polyethylene)/ glass fiber/ spandex/ nylon/ elastic	468g/m2	13gauges/ inch	
	velcro	Black	nylon			
Binding		black	PU			

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed against mechanical risks. It is a category II product.

GENERAL REQUIREMENTS

Standard EN 420 : 2003 + A1 : 2009

Dexterity: 4
Size: conform

At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

Mechanical hazard EN 388: 2016

Protection offered	Performance levels
Abrasion resistance	4
Blade cut resistance	X
Tear strength resistance	4
Puncture resistance	3
Cut Resistance method (EN ISO 13997)	D
Impact Protection	P

Impact protection is claimed on the following areas : Back metacarpal knuckles

The levels of performance have been measured on the palm (except Impact Protection)

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

TEST REPORTS

Laboratory	CTC	Other
EN 420 + innocuousness	S180201442_1 S171013612_2 S171013761_1 S190100163_1 S190405922_2	
EN 388	S171013612_2 S171116022_1 S180100765_1	

MARKING - PACKAGING

Information printed on the glove:

Logo of Manufacturer:

Logo (€

Glove's reference: GUANTE EAGLE IMPACT J321

Article Code:

Size indicator

Pictograms related to risks against which protection is offered with performance levels

Information pictogram
Address of Manufacturer:

Date of Manufacture (month/year) and/or Serial number :

Marking example:



EN 388 : 2016

4X43DB



Carlos Silva Vildosola 950,SAN Miguel, SANTIAGO,CHILE LOT:XXXXXXX

Method of marking on the glove:

printed on the back

Packaging:

1pair/card, 10pairs/ PE bag, 100pairs/carton

PPE subject to ageing:

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available with product.

MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch



CERTIFICATEOF REGISTRATION

This is to certify that the management system of:

Shandong Xingyu Gloves Co., Ltd.

Middle of Yaoqian Road, Gaomi Economic Development Zone, Weifang, Shandong Province, P. R. China

has been registered by Intertek as conforming to the requirements of:

ISO 9001:2015

The management system is applicable to:

Production of Textile Impregnated Gloves.

Unified Social Credit Identifier: 9137078577418160X7

Certificate Number: 111901026

Initial Certification Date:

17 February 2016

Date of Certification Decision:

03 February 2019


Issuing Date: 03 February 2019

Valid Until:

16 February 2022



014



Calin Moldovean

President, Business Assurance

Intertek Certification Limited, 10A Victory Park, Victory Road, Derby DE24 8ZF, United Kingdom

Intertek Certification Limited is a UKAS accredited body under schedule of accreditation no. 014.



In the issuance of this certificate, intertex assumes no flability to any party other than to the Client, and then only in accordance with the agreed upon Certification.

Agreement. This certificate's validity is subject to the organization in animaling their pystem in accordance with intertex's requirements for systems certification. Validity may
be confirmed via email at certificate validation@intertex.com or by scanning the code to the right with a smartp-bone. The certificate remains the property of Intertex, to

The annual validity of the certificate can also be checked through the website http://www.cnca.gov.on.of CNCA in Chin.



INSTRUCTION FOR USE

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

CARLOS SILVA VILDOSOLA 950, SAN MIGUEL, SANTIAGO

CHILE

Glove reference: GUANTE EAGLE IMPACT J321

Article code: User notice index: 01

Last update: SEPTEMBER 2019

Available sizes: 8/M 9/L 10/XL 11/XXL



88 : 2016



(i

Carlos Silva Vildosola 950,SAN Miguel, SANTIAGO,CHILE LOT:XXXXXXX

Glove description:

13G black/white HPPE(high performance polyethylene)/ glass fiber/ spandex/ nylon liner,TPR antiimpact on the glove back,black nitrile sandy finish on palm,velcro on the cuff, padded palm.

THIS GLOVE IS A PERSONAL PROTECTIVE EQUIPMENT BELONGING TO THE CATEGORY II.

It meets the requirements of the PPE Regulation 2016/425 applicable from April 21th, 2018: innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (OO75) 4, rue Hermann Frenkel 69367 LYON Cedex 07

FRANCE

Applicable standards :

The glove meets the requirements of the standard EN 420 : 2003 + A1 : 2009 « General requirements for work glove ». Dexterity : 4 Moreover, this glove has been designed for the following applications :

Application :

Mechanical hazard - EN 388: 2016



4 X 4 3 D P Levels of performance

Abrasion resistance	4	(on 4 maxi)
Blade cut resistance	Х	(on 5 maxi)
Tear resistance	4	(on 4 maxi)
Puncture resistance	3	(on 4 maxi)
Cut Resistance method (EN ISO 13997)	D	(A to F)
Impact Protection	Р	

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

Protection limit:

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

The levels of performance mentioned are only valid for the palm of the glove (except Impact protection).

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

This glove shall not be in contact with fire

Before use, the glove shall be visually controlled, in case of deterioration the gloves must be scrapped (abrasion, cut, tear, ...). For gloves with different layers of material, the performance levels are warranted only for the whole glove.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity:

Available with product.