EU-TYPE EXAMINATION CERTIFICATE



The following model of Personal Protective Equipment has been subjected to an EU-type examination in accordance with the module B of the PPE regulation (2016/425) and has been shown to satisfy to essential health and safety requirements.

Certificate N° 0075/3272/162/04/24/0667

Issued by CTC, Notified Body N°0075, to the following model of personal protective equipment :

Manufacturer : COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO

CHILE

Description

PPE Type : protective glove against mechanical risks

Product EAGLE TX1000

reference :

Article code :

Glove description : 15G HPPE (high performance polyethylene) cut E liner, black nitrile foam coated, Anti-impact TPR

Available sizes : 8/M 9/L 10/XL 11/XXL

Pictures :

ERIGLE ERIGLE TX1000 EN 388:2016 +A1:2018 CC 4X44EP 9/L COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO CHILE L0## XXXXXX



Reference standard :

Levels of performance / class of protection

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material. « 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

EN ISO 21420:2020 EN 388:2016 + A1:2018

4 X 4 4 E P

At the date of the certificate, the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)

Full description of the PPE, reference rules verified in the context of the EU-type examination and information given on the product are detailed in the manufacturer's technical file and the user instructions index 01 dated from April 2024.

NOTA : Any modification to new items of the personal protective equipment object of this EU type approval certificate or any modification of the information contained in the manufacturer technical file which served for the deliverance of the EU type approval certificate (change of address, change of company status) should be brought to the attention of the notified body in accordance with Annex V §7.2 of Regulation 2016/425. Any marking on the PPE which is not concerned by the Regulation (UE) 2016/425, is not covered by this certificate.

Issued in Lyon by William GELAS Certification manager



Date of first issue: 05 April 2024 Date of end of validity: 05 April 2029

www.ctcgroupe.com

cemarking@ctcgroupe.com

CTC - 4, rue Hermann Frenkel - 69367 Lyon cedex 07 - France Tél. : +33 (0)4 72 76 10 10 - Fax : +33 (0)4 72 76 10 00 - ctclyon@ctcgroupe.com

In application of the Regulation 2016/425 of the European parliament – and the Council of 9th March 2016 related to Personal Protective Equipment and repealing the Directive 89/686/EEC.



MARKING

OTIFIED BODY

n° 0075

by CTC



Comité Professionnel de Développement Économique (CPDE) Cuir Chaussure Maroquinerie Ganterie Loi 78-654 du 22.06.1978 - Siret 77564972600160 - Code NAF 9412Z - TVA FR 88775649726

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

MANUFACTURER'S TECHNICAL FILE TO THE PPE REGULATION 2016/425

| Reference of the product | : | EAGLE TX1000 |
|--------------------------|---|--------------|
| Article code | : | |
| Technical file index | : | 01 |
| Last update | : | April 2024 |

IDENTIFICATION

| Reference of the product : Article code : | : | EAGLE TX1000 |
|--|---|--------------|
| Basic Model | | |
| Technical file index : | : | 01 |
| Last update : | : | April 2024 |

Manufacturer :

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD

AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO

CHILE tel : 56 2 2544 7600 fax :

Factory :

SHANDONG XINGYU GLOVES CO.,LTD MIDDLE YAOQIAN ROAD CHAOYANG DISTRICT GAOMI CITY SHANDONG PROVINCE

CHINA

tel: 0536-2587338 fax:

GLOVE DESCRIPTION

General glove description and intended use:

15G HPPE (high performance polyethylene) cut E liner, black nitrile foam coated, Anti-impact TPR This glove is designed against mechanical risks. Type of coating finish : foam

Visual description (picture back and palm sides) :



| Risk assessment (Essential Health and Safety Requirement. Annex II - PPE Regulation) | | | | |
|--|---|-------------|---------------------------------|--|
| | | Applicable | Covered by | |
| | | | Standard Standard | |
| §1 | Requirements defined in the Annex II §1 are applicable to all PPE | \boxtimes | ☑ Instruction for use | |
| | | | ☑ Marking | |
| | Manufacturer's instructions and information is available | \boxtimes | Standard Standard | |
| §1.4 | | | ☐ Instruction for use | |
| | | | □ Marking | |
| 80 F | PPE which may be caught up during use | \boxtimes | □ Standard | |
| §2.5 | | | ☑ Instruction for use □ Marking | |
| | | | Standard | |
| §2.12 | PPE bearing one or more identification markings or indicators directly or indirectly relating to health and safety | \boxtimes | \boxtimes Instruction for use | |
| | | | ⊠ Marking | |
| | The PPE is intended to protect against impact caused by falling or ejected objects and collisions of parts of the body with an obstacle | | Standard | |
| §3.1.1 | | | ☑ Instruction for use | |
| | | | Marking | |
| | The PPE is intended to protect against mechanical injuries | | Standard | |
| §3.3 | | | Instruction for use | |
| | | | 🛛 Marking | |

Glove constitution :

| | Reference | Color | Material | Surfacic mass (g/m²) | Gauges | Thickness |
|---------|-----------|------------------------------|---|-------------------------|--------------------|-----------|
| | | black | nitrile | | | 0.00- |
| Palm | | grey | HPPE (high performancepolyethylene) | 400g/m2 | 15gauges / inch | |
| Deels | | grey | HPPE (high performancepolyethylene) | 400g/m2 | 15gauges / inch | |
| Back | TPR | black / orange | silicone | | | |
| Cuff | | Idrev / plack | HPPE (high performancepolyethylene) / elastic | 530g/m2 | 15gauges / inch | |
| Binding | | green/ blue/ brown/ black | polyester | | | |

PROTECTION SCOPE

This glove meets the essential requirements of the Personal Protective Equipment Regulation 2016/425. This glove is designed against mechanical risks.

It is a category II product.

GENERAL REQUIREMENTS

Standard EN ISO 21420 : 2020

Dexterity :

5 Available size range: 8/M 9/L 10/XL 11/XXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B table B.1

SPECIFIC REQUIREMENTS AND PERFORMANCE LEVELS

« X » indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

Mechanical hazard EN 388:2016 + A1:2018

| Protection offered | Performance levels |
|--------------------------------------|--------------------|
| Abrasion resistance | 4 |
| Blade cut resistance | X |
| Tear strength resistance | 4 |
| Puncture resistance | 4 |
| Cut Resistance method (EN ISO 13997) | E |
| Impact Protection | P |

The levels of performance have been measured on the palm (except Impact Protection).

TEST REPORTS

| Laboratory | СТС | Other |
|------------|--|-------|
| | S231010203_1 S231110601_1 (DMFu) S200909577_1 S210302076_1 S211010186_1 | |
| EN 388 | S231010203_1 S220602982_1 | |

MARKING - PACKAGING

Information printed on the glove :

Logo of Manufacturer : Logo (Glove's reference : EAGLE TX1000 Article Code : Size indicator Pictograms related to risks against which protection is offered with performance levels Information pictogram Address of Manufacturer : Date of Manufacture (month/year) and/or serial/batch number : Date of obsolescence (month/year) if applicable:

Marking example :



COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO CHILE Lot# XXXXXX

Marking of packaging example :



COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO CHILE Lot# XXXXXX

Method of marking on the glove :

Printing on the sewn label

Packaging suitable for transport:

1pair/bag, 12 pairs/PE bag, 120 pairs/carton

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean , ventilated, light).

Cleaning instructions:

The gloves are not washable.

MEANS OF CONTROL

According to ISO 9001, random inspect abrasion for every batch



INSTRUCTIONS FOR USE

COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA

AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO

CHILE Glove reference : EAGLE TX1000 Article code: User notice index : 01 Last update : April 2024

Glove description :

15G HPPE (high performance polyethylene) cut E liner, black nitrile foam coated, Anti-impact TPR This glove is a personal protective equipment belonging to the category II.

It meets the requirements of the PPE Regulation 2016/425 : innocuousness, comfort, solidity.

It has been subject to a UE-type Examination performed by :

C.T.C. (0075) 4, rue Hermann Frenkel 69367 LYON Cedex 07 FRANCE COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA AV. AMÉRICO VESPUCIO NORTE 0401, QUILICURA, SANTIAGO CHILE Lot# XXXXXX

 $C \in \bigcup_{\substack{A \times 44 \in P \\ 9/L}}^{E \cap GL \in T \times 1000}$

The glove meets the requirements of the standard EN ISO 21420:2020 « Protective Gloves - General requirements and test methods ».

Dexterity:

Available size range: 8/M 9/L 10/XL 11/XXL

The hand sizing system is based on hand circumference and hand length as defined in EN ISO 21420 Annex B.

Information about marking

5

« X »indicates that the glove has not been submitted to the test or the test method appears not to be suitable for the glove design or material.

i

« 0 » indicates that the glove falls below the minimum performance level for the individual hazard.

The CE marking means that this product meets the requirements of the regulation 2016/425

Read carefully the instructions for use provided with the product

Mechanical hazard - EN 388:2016 + A1:2018



| - | | |
|--------------------------------------|---|-------------|
| Abrasion resistance | 4 | (on 4 maxi) |
| Blade cut resistance | Х | (on 5 maxi) |
| Tear resistance | 4 | (on 4 maxi) |
| Puncture resistance | 4 | (on 4 maxi) |
| Cut Resistance method (EN ISO 13997) | E | (A to F) |
| Impact Protection | Р | |

Protection limit :

Users should be warned that gloves should not be worn when there is a risk of entanglement by moving parts of machines.

This model does not contain any substances at levels that are known to, or suspected to, adversely affect user hygiene or health.

The protection against risks or hazards which are not mentioned in this document is not warranted.

These levels of performance are obtained from the tests done according to conditions defined by the applicable standards.

The levels of performance mentioned are only valid for new gloves, not washed, nor regenerated.

Before use, the glove shall be visually inspected for any defect or imperfections. In case of deterioration, the gloves must be scrapped (abrasion, cut, tear...).

For gloves with two or more layers the overall classification does not necessarily reflect the performance of the outermost layer.

The levels of performance against mechanical risks are only valid for the palm of the glove (except Impact protection).

Impact protection is claimed on the following areas : Back metacarpal knuckles

Impact protection does not apply to the finger.

Storage and cleaning notice

Keep in its original packaging, under ordinary temperature and humidity conditions and in clean, covered and ventilated premises.

The gloves are not washable.

PPE subject to ageing :

The design performance can not be significantly affect by ageing when stored in appropriate conditions (humidity, temperature, clean, ventilated, light).

Declaration of conformity :

Available with product.

C0667 - COMERCIALIZADORA DE ARTICULOS DE PROTECCION Y SEGURIDAD INDUSTRIAL MANQUEHUE LTDA - N°0075-3272-162-04-24-0667.xlsm - User notice