# Certificate of Compliance

Issued to:

Comercializadora de Artículos de Protección Seguridad Industrial Manquehue Ltda. Av. Américo Vespucio Norte 0401 Quilicura Santiago CL

This certificate confirms that representative samples of: FLAME-RESISTANT CLOTHING FOR PROTECTION OF INDUSTRIAL PERSONNEL AGAINST SHORT-DURATION THERMAL EXPOSURES FROM FIRE PROTECTIVE CLOTHING FOR ELECTRICAL WORKERS See Addendum Page for Model(s)

Has been evaluated by UL LLC in accordance with Standard(s) for Safety:

NFPA 2112 - Flame-Resistant Clothing for Protection of Industrial Personnel Against Short Duration Thermal Exposures from Fire Edition 2023, AMD 5 ASTM F1506 - Standard Performance Specification for Flame Resistant and Electric Arc Rated Protective Clothing Worn by Workers Exposed to Flames and Electric Arc Edition 2022, 04/2022

Additional Information: See UL Product iQ<sup>®</sup> at <u>https://iq.ulprospector.com</u> for additional information.

This Certificate of Compliance indicates that representative samples of the product described in the certification report have met the requirements for UL certification. It does not provide authorization to apply the UL Mark. Only the Authorization Page that references the Follow-Up Services Procedure for ongoing surveillance provides authorization to apply the UL Mark.

Only those products bearing the UL Mark should be considered as being UL Certified and covered under UL's Follow-Up Services.

Look for the UL Certification Mark on the product.

David Piecuch UL Mark Certification Program Owner

Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <a href="https://www.ul.com/contact-us">https://www.ul.com/contact-us</a>.



Page 1 of 2

Only those products bearing the UL Mark should be co

Certificate Number:

MH66937

#### **Report Reference:**

MH66937-20240515

#### **Issue Date:**

2024-06-17

## **Certificate of Compliance**

Certificate Number:MH66937Report Reference:MH66937-20240515Issue Date:2024-06-17

This is to certify that representative samples of the product as specified on this certificate were tested according to the current UL requirements.

### Trademark and/or Tradename: CLeben

Garment Type	Model
Coveralls	Buzo FR/ARx
Shirt	Camisa Ripstop FR/ARx
Knit Shirt	Camisa Punto FR/ARx
Henley	Polera con botones FR/ARx
Crew Neck T-Shirt	Polera cuello redondo FR/ARx
V-Neck T-Shirt	Polera cuello V FR/ARx
Polo Shirt	Polera Piqué FR/ARx
Jacket	Chaqueta FR/ARx
Double-Layer Jacket	Chaqueta doble capa FR/ARx
Vest	Chaleco Geólogo FR/ARx
Hoodie	Poleron FR/ARx, Poleron Z FR/ARx
Jeans	Jeans FR/ARx
Trousers	Pantalón FR/ARx
Insulated Jacket	Chaqueta aislante FR/ARx
Insulated Vest	Chaleco Geólogo aislante FR/ARx
Insulated Bib Pants	Jardinera térmica FR/ARx
Insulated Winter Coveralls	Buzo térmico FR/ARx
Balaclava	Balaclava FR/ARx
Beanie	Gorro FR/ARx

NOTE: Where X represent any number, style, designs, construction, color, performance, and any different feature of garment.



Any information and documentation involving UL Mark services are provided on behalf of UL LLC (UL) or any authorized licensee of UL. For questions, please contact UL Solutions Customer Service at <a href="https://www.ul.com/contact-us">https://www.ul.com/contact-us</a>.